



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Boz 1450 Alextudria, Vignia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/840,601	04/23/2001	James J. Fitzgibbon	70605	5590
	7590 05/21/2003 N TABIN AND FLAN	EXAMINER		
	A SALLE STREET	RO, BENTSU		
	60603-3406	ART UNIT	PAPER NUMBER	
			2837	
			DATE MAILED: 05/21/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

.			Applicati n N .	Applicant(s)	<u> </u>			
	Office Action Summary		09/840,601	1				
			Examiner	FITZGIBBON ET AL.				
				Art Unit				
		The MAILING DATE of this c mmunication app	Bentsu Ro	2837				
P	- The MAILING DATE of this c mmunication appears on the c ver sheet with the corresp ndence address							
St	- External e	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period wire to reply within the set or extended period for reply will, by statute, or exply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days apply and will expire SIX (6) MONTHS from	nely filed s will be considered timely.	ition.			
	1)	Responsive to communication (1) (1)						
	2a)⊠	Responsive to communication(s) filed on <u>24 M</u> .  This action is <b>FINAL</b> . 2b) This						
	· —		action is non-final.					
Di	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
4)⊠ Claim(s) 16-20 and 31-33 is/are pending in the application.								
1	4	a) Of the above claim(s) is/are withdrawr	) from consideration					
4	5) Claim(s) 16-20 and 33 is/are allowed.							
	6)⊠ Claim(s) <u>31 and 32</u> is/are rejected.							
		Claim(s) is/are objected to.						
	8) 🗌 (	Claim(s) are subject to restriction and/or e	election requirement					
Ap	plicatio	n Papers	requirement.					
	9)□ T	he specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abovance. See 37 CFD 4 cr. 1								
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.								
in approved, corrected drawings are required in reply to this Office action								
12) The oath or declaration is objected to by the Examiner.								
		der 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
	a) ☐ All b) ☐ Some * c) ☐ None of:							
	1. Certified copies of the priority documents have been received.							
	2.	☐ Certified copies of the priority documents ha	ave been received in Application	No				
	2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Bule 17.202).							
4.4	* See the attached detailed Office action for a list of the certified copies not received							
14	Acknowledgment is made of a claim for domestic priority under 35 U.S.C. 8 119(e) (to a provisional as 1)							
	The translation of the location landing provisional configuration to the second section to the section							
15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.  Attachment(s)								
	(3)			¢				
2) 🔲	Notice of	References Cited (PTO-892)  Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary (PT	ГО-413) Paper No(s)				
3) 🔲	informatio	on Disdosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal Pate  6) Other:	nt Application (PTO-152)				
S. Patent and Trademark Office PTO-326 (Rev. 04-01) Office Action Summer								





Art Unit: 2837

## SECOND OFFICE ACTION ---- A FINAL REJECTION

1. Claims 31-32 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by **Duhame US Patent No. 5,285,136.** (This is a new reference.)

Claims read onto Duhame's teaching as follows:

The claims:	Duhame's teaching:	
Claim 31. A movable barrier operator comprising:	see Fig. 1 circuit;	
a motor connectable to a movable barrier and energizable to move the barrier between an open position and a closed position with respect to a barrier opening;	see title for the words "garage door operator"; all garage door operators perform the same function as claimed, including a motor 27 to move the garage door between an open position and a closed position;	
a position detector for sensing a position of the barrier;	Fig. 1 shows an open/close limit detectors 28;	
a controller	the Fig. 1 circuit, including microcontrollers 25, 47 and the associated circuits or devices or sensors;	
responsive to input commands	the input commands can be the input signals from push button switches 13 or 29;	
and the position detector for controlling the energizing of the motor to control the movement of the barrier;	from Fig. 1, it can be seen that the microcontroller 25 receives: (1) input signal from push button 13 via transmitter 10, receiver 22 and demodulator decoder 23, (2) input signal from push button switch 29, and (3) open/close signal from limit detectors 28; the microcontroller 25 controls the motor 27 to control the movement of the garage door;	



Art Unit: 2837

apparatus for defining a minimum reversal position of the barrier at a position near a closed limit of the barrier; and

the controller responds to a close input command

and the defined minimum reversal position

Fig. 1 shows a supplemental obstruction detector 40;

the supplemental obstruction detector 40 is a radiation type obstruction detector located at the near-bottom of the garage door opening 5, thus, the detector 40 defines a minimum reversal position of the garage door; the supplemental obstruction detector 40 includes a radiation transmitter 42, a reflector 44 and a receiver 45, the position of these elements define a minimum reversal position;

if the radiation beam from the transmitter 42 is interrupted at any point of the garage door movement before this minimum reversal position, the garage door will reverse; however, once the garage door passes this minimum reversal position, interruption of the radiation beam becomes impossible because the blockage of the garage door; see similar explanation in the first office action, page 3, fourth paragraph on the left-column;

the microcontroller 25 receives a close input signal from push button 13 via transmitter 10, receiver 22 and demodulator decoder 23 or a close input signal from push button switch 29;

see col. 5, lines 15-17; 27-28; 59-61; col. 5, line 67 to col. 6, line 22; etc. for example, col. 5, lines 27-28 states "The active safety signal from switcher circuit 48 is detected by analog signal conditioner 31", this statement clearly shows that the microcontroller 25 responds to the signal from the supplemental obstruction detector 40;



Art Unit: 2837

by energizing the motor to move the barrier to a position more closed than the minimum reversal position to force the barrier against a substantially fixed part of the barrier opening.

without the interruption of the radiation beam, the microcontroller 47 issues an active safety signal to the microcontroller 25 via the circuit elements 48 and 31, the microcontroller 25 thus continuously energizes the motor 27 to move the garage door beyond the "minimum reversal position" until the garage door touches the ground;

once the garage door touches the ground, the close limit detector 28 issues a signal to the microcontroller 25, the microcontroller 25 de-energizes the motor to stop the garage door;

it is noted that the close limit detector 28 is located at the end position of the garage door movement so that the garage door can be fully closed;

if the garage door is fully closed, the motor obviously "forces the barrier against a substantially fixed part of the barrier opening" as claimed.

Claim 32.

Duhame teaches a garage door as a barrier and a garage door floor as a fixed part.

- 2. Claims 16-20 and 33 are allowable.
- 3. Applicant's arguments with respect to claim 31 have been considered but are moot in view of the new ground(s) of rejection.
- 4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL.** See M.P.E.P. § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CAR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CAR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however,



Art Unit: 2837

Page 5

will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

5. Any inquiry concerning this communication should be directed to Bentsu Ro at telephone number 703 308-3656.

May 15, 2003

Bentsu Ro
Primary Examiner